

Austrian Academy of Sciences
Acoustic Research Institute – ARI

Interaural time differences in fine structure and envelope in bilateral electrical hearing

P. Majdak, B. Laback, W. D. Baumgartner

<http://www.kfs.oeaw.ac.at>

piotr.majdak@oeaw.ac.at


Institut für Schallforschung, Österreichische Akademie der Wissenschaften;
A-1010 Wien, Reichsratsstrasse 17

Tel: +43 1/4277-29511 Fax: +43 1/4277-9295 email: piotr.majdak@oeaw.ac.at




State of research & questions

- CI listeners are sensitive to ITD in fine structure
(Laback, Majdak and Baumgartner, 2004)
- Lateralisation discrimination (LD) depends on the pulse rate, duration and stimulation level
- Current bilateral cochlear implant system:
 - Two independently working systems
 - Uncontrolled change of fine structure ITD (ITD_{FS})
- Question: Bilateral synchronization of:
 - speech processors to each other ($ITD_{FS} = 0$)?
 - fine structure to ITD_{ENV} ($ITD_{FS} = ITD_{ENV}$)?





Method & Parameters

- Lateralisation discrimination (LD):
 - 2-interval, 2 AFC
 - 60 repetitions for each item
- Binaurally balanced, pitch matched electrode pair
- Pulse Rates: 100...1600pps
 - Inter Pulse Intervals (IPI): 625µs...10ms
 - Preselected in pretests for each subject
- ITD_{FS}: 0...800µs, 0...IPI
- ITD_{ENV}: 0...800µs, IPI/4 (max. sensitivity)




Stimuli & Subjects


- Amplitude modulated pulse trains
- ITD_{FS} -Information (FS):
 - Delay of each pulse for one ear
- ITD_{ENV} -Information (ENV):
 - 4 Trapezoids (Total duration: 300ms)
 - Fast rising/falling edges
 - Gaps between trapezoids
- 4 CI listeners (most of them used: C40+/C40+)
- 4 NH subjects with a simulation of CI stimulation








Expected results






Results for lower pulse rates







Results for lower pulse rates

CI2 - 400pps





CI2 - 100pps







Results for lower pulse rates







Results for higher pulse rates





Synchronization of fine structure

- Relevant, if latereralisation discrimination **depends** on ITD_{FS}





Pulse Rate	p
400pps	0,0001
600pps	-
800pps	0,0001
938pps	0,45
1600pps	0,31




Synchronization to the envelope

- Relevant, if:


$$\text{LD}(ITD_{FS} = ITD_{ENV}) > \text{LD}(ITD_{FS} = 0)$$




Pulse Rate	p
200pps	0,0001
400pps	0,0001
600pps	-
800pps	0,2
938pps	0,1



Synchronization to the envelope



- Interaction between ITD_{FS} and ITD_{ENV}!



Summary for CI listeners

- High sensitivity to ITD_{FS} – low to ITD_{ENV}
- Strong variability of performance
- Synchronisation of speech processors:
 - appears to be necessary up to ~800pps
- Synchronisation of ITD_{FS} to ITD_{ENV} :
 - Improvement of performance up to ~600pps
- Open questions:
 - Effect of artificial stimuli? Broadband stimuli?
 - Lateralisation? Binaural unmasking?